Listing of claims

- 1. (Previously presented) A method for determining whether a substance is a modulator of an ion-channel/receptor system containing a ligand controlled or mechanically controlled ion channel, comprising the steps of:
 - (a) preparing a cell, which contains the ion-channel/receptor system, wherein the cell is immobilized on an extracellular potential-sensitive electrode,
 - (b) bringing a substance to be tested in contact with the cell, in a medium which has a total salt concentration of ≤ 100 mmol/L,
 - (c) stimulating the ion channel/receptor system,
 - (d) measuring a signal at the electrode due to the ion-channel/receptor system, and
 - (e) determining the effect of the substance to be tested on the measurement signal.

2-4. Canceled.

- 5. (Previously presented) The method according to Claim 1, characterized in that the ion channel is a potassium channel.
- 6. Canceled.
- 7. (Previously presented) The method according to Claim 1, characterized in that the ion-channel/receptor system contains an NMDA, GABA, AMPA or acetylcholine receptor.
- 8. Canceled.

Application No. 10/666,530 Rule 312 Amendment dated May 22, 2007

9. (Previously presented) The method according to Claim 1, characterized in that the stimulation of the ion-channel/receptor system comprises chemical stimulation or mechanical stimulation.

10-11. Canceled.

- 12. (Previously presented) The method according to Claim 1, characterized in that the potential-sensitive extracellular electrode is arranged on a chip.
- 13. (Previously presented) The method according to Claim 1, characterized in that an array comprising a multiplicity of cells immobilized on different electrodes is prepared, and a multiplicity of substances are tested.

Claims 14-23. (Canceled)